Item Description	Unit	Quantity	Unit price ($)	Total
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH **MHW-WZ4G4-HEN4** or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000

Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH MHW-WZ4R4-EEUK or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon E5-1650 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, blue-ray RW, 8GB RAM, Gigabit (10/100/1000 Mbps) LAN,Intel® HD Audio, 2 x USB 3.0, 2 x USB 2.0, power 700W, RAID 0.1 , 5, 1xserial port header. Video outputs: 8GB graphics card with its own memory, it is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 8.1 64 bit. (BOSCH **MHW-WZ4G4-HEN4** or equivalent)	pcs	2	1000	2000

Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras. Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro RTX 4000 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse. Operating System: Microsoft Windows 10 Proffesional 64 bit. (BOSCH MHW-WZ4G4-HEN4 or equivalent)	pcs	2	1000	2000
Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro RTX 4000 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse. Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN4 or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro RTX 4000 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN4 or equivalent)	pcs	2	1000	2000
Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro RTX 4000 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse. Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN4 or equivalent)	pcs	2	1000	2000
Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro RTX 4000 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN4 or equivalent)	pcs	2	1000	2000
Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Archive overview and live view in maximum FPS of at least 32 installed cameras.Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro RTX 4000 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 4 monitors simultaneously. Others: MiniTower, keyboard, optical mouse.Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN4 or equivalent)	pcs	1	1000	1000
Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro P2200 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 2 monitors simultaneously. Others: MiniTower, keyboard, optical mouse. Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN2 or equivalent)	pcs	1	1000	1000

Client video monitoring work station based on Intel® Core ™ Xeon W-2123 processor and Microsoft operting system. Technical specifications min: 500GB HDD, 16GB DDR4 RAM, Nivada Quadro P2200 graphics card, Gigabit (10/100/1000 Mbps) LAN, power 750W. It is possible to connect up to 2 monitors simultaneously. Others: MiniTower, keyboard, optical mouse. Operating System: Microsoft Windows 10 Proffesional 64 bit.(BOSCH MHW-WZ4G4-HEN2 or equivalent)	pcs	1	1000	1000
NMS operator equipment. It includes two workstations with two 32 '' monitors for each .	set	4	1000	4000
NMS operator equipment. It includes two workstations with two 32 '' monitors for each.	set	4	1000	4000
NMS operator equipment. It includes two workstations with two 32 '' monitors for each.	set	4	1000	4000
NMS operator equipment. It includes two workstations with two 32 '' monitors for each.	set	4	1000	4000
Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment.	pcs	1	2000	2000
Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment.	pcs	9	2000	18000
Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	pcs	1	2000	2000
Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	pcs	9	2000	18000
Video operator equipment. It includes 1 workstationswith two 32 '' monitors for each .	set	1	1000	1000
Video operator equipment. It includes twoworkstations with two 32 '' monitors for each .	set	1	1000	1000
Workstations with one 32 '' monitor for each On-duty staff room	pcs	1	1000	1000
Workstations with one 32 '' monitor for each On-duty staff room	pcs	1	1000	1000
Workstations with one 32 '' monitor for each On-duty staff room	pcs	1	1000	1000
Workstations with one 32 '' monitor for each On-duty staff room	pcs	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000
Workstations with two 32 '' monitors for each On-duty staff room	set	1	1000	1000

99000